















▶ Product Overview ▶▶



Complete overview
of our products

TROX[®] TECHNIK
 **Auranor**


Roof hoods	
Fire protection	
Extract air valves	
Grilles, Air transfer	
Air diffusers and plenum boxes	
Apartment ventilation	
Displacement flow diffusers	
Dampers, VAV	
Sound attenuators	
Joint systems, Doors	
Chilled beams	
Control systems	
Cleanroom	
Software	




► Roof hoods ►►




JTA-1
Dim. Ø160 - Ø1250




JTA-2
Dim. Ø200 - Ø1250



AKH
Up to ca. 23.000 m³/h



KAI
Up to ca. 23.000 m³/h



ITH
Up to ca. 23.000 m³/h



RAT
Dim. Ø315 - Ø1250

► Fire protection ►►




FKRS-EU
Dim. Ø100 - Ø315




FKR-EU
Dim. Ø315 - Ø800



FKA-EU
Dim. 200x200 - 1500x800



AURASAFE
Fire protection system
Control system, monitoring
up to 4000 fire dampers



FMS-A
Control system, monitoring
up to 27 fire dampers

► Extract air valves ►►




USI
Dim. Ø200 - Ø500




USI w/silencer
Dim. Ø200 - Ø500



LØV-A
Dim. Ø125 - Ø315



Mesh grill
Dim. Ø100 - Ø1000



Mesh grill w/flange
Dim. Ø100 - Ø630




DSO
Dim. Ø100-Ø200



Orion-ATV
Dim. Ø160-Ø400



UPK-H
For T-profile ceiling system
600x600




UPK
Dim. 200x100 - 800x600


► Grilles and Air transfer ►►




VSR
Dim. 600x600 - 2000x2000




RIA
Dim. 400x200 - 2000x2000



LOV
Dim. 613 and 813




OVA
Dim. 100x100 - 600x600



TOG-R
Dim. Ø125-Ø200


► Air diffusers and plenum boxes ►►




TLK-K
Dim. Ø100 - Ø250




TLK-L
Dim. Ø100 - Ø250




TLK-V
Dim. Ø100 - Ø250




Pegasus (VAV)
Dim. Ø125 - Ø250



Pegasus Comfort (VAV)
Dim. Ø125 - Ø250



Orion-LØV
Dim. Ø125 - Ø400



Orion-PTV
Dim. Ø125 - Ø400



Orion-VDW
Dim. Ø125 - Ø400




Orion-Opus
Dim. Ø125 - Ø400



LØV-R
Dim. Ø100 - Ø315



► Air diffusers and plenum boxes ►►



TLG-LØV
Dim. Ø100 - Ø315



TLG-G
Dim. Ø100 - Ø315



RFD
Dim. Ø125 - Ø400



**Luna
Plenum box**
Dim. Ø100 - Ø315



Orion-LØV w/Sirius
Dim. Ø125 - Ø250



Orion-PTV w/Sirius
Dim. Ø125 - Ø250




Orion-Opus w/Sirius
Dim. Ø125 - Ø250



**Orion-LØV
w/Sirius Comfort**
Dim. Ø125 - Ø250



**Orion-PTV
w/Sirius Comfort**
Dim. Ø125 - Ø250



**Orion-Opus
w/Sirius Comfort**
Dim. Ø125 - Ø250



Tellus-LØV
Dim. Ø100 - Ø315



Tellus-Opus
Dim. Ø125 - Ø315



Tellus-H-D-Opus
Dim. Ø200 - Ø315



Tellus-LØV-VAV
Dim. Ø125 - Ø250



Tellus-Opus-VAV
Dim. Ø125 - Ø250



DKW
Dim. Ø160 - Ø500



DUK
Dim. Ø100 - Ø400



DUK-F
Dim. Ø100 - Ø400




TLH
Dim. Ø100 - Ø160



FBA floor diffuser
Dim. Ø150 og Ø200




TIR
Dim. Ø315 - Ø800



TIH
Dim. Ø315 - Ø500



TUB 1/2
Dim. Ø160 - Ø250
Length: 2, 4, and 6 m




TUB 1/4
Dim. Ø160 - Ø250
Length: 2, 4, and 6 m




TUB-VAV
Dim. Ø160 - Ø250
Length: 2, 4, and 6 m

► Air diffusers and plenum boxes ►►



Opus 5D/5DD
For rectangular duct



Opus 4D/4DD
For spiro duct



VSD 15
1 air slot



VSD 35
1, 2, 3 or 4 air slots



VSD 50
1 or 2 air slots



Pureline 18
1 or 2 air slots



Pureline 35
1, 2, 3 or 4 air slots

► Apartment ventilation ►►



AFV-S-T50
Dim. Ø100-Ø125



AFV-S-T51
Dim. Ø100-Ø125




AFV-S-T53
Dim. Ø100-Ø125




AFV-S-T54
Dim. Ø100-Ø125



AFV-S-T55
Dim. Ø100-Ø125




AFV-R-T10
Dim. Ø100-Ø125



AFV-R-T11
Dim. Ø100-Ø125




AFV-R-T12
Dim. Ø100-Ø125




AFV-R-T13
Dim. Ø100-Ø125



► Apartment ventilation ►►



AFV-R-T18
Dim. Ø100-Ø125




AFV-R-T19
Dim. Ø100-Ø125




AFV-S-T58
Dim. Ø100-Ø125




AFV-S-T59
Dim. Ø100-Ø125




AFK-R-F1-100
Dim. Ø100-Ø125



AFK-R-100-100
Dim. Ø100-Ø125



AF-FB-B-V3
Dim. Ø100-Ø125



Damper disc



Fastening brackets



AuraFlex flex duct



Duct joint

► Displacement flow diffusers ►►



Siv-inn Aula
Dim. Ø100-Ø125



Siv-inn Aula
Three dimensions



Siv-inn Aula 2000
Continuous front



Siv-inn Inlaid
Three dimensions



Siv-inn School
Dim. Ø125 - Ø315



Siv-inn 2000
Dim. Ø125 - Ø250



Siv-inn 1 - 1/2
Dim. Ø100 - Ø400



Siv-inn 1 - 1/4
Dim. Ø100 - Ø400



Siv-inn 2 rund
Dim. Ø315 - Ø800




Siv-inn 2 - 1/2
Dim. Ø315 - Ø800




Siv-inn 2 - 1/4
Dim. Ø315 - Ø800




Siv-inn 2 rectangular
Dim. Ø200 - Ø400



**Siv-inn T/V
Ceiling/Wall**



Siv-inn PP
Produced on measurement



Siv-inn PK
Produced on measurement

► Dampers and VAV ►►




DRS

Dim. Ø100 - Ø630



DRS-T

Dim. Ø100 - Ø630



DRS-TM

Dim. Ø100 - Ø630



Iris

Dim. Ø100 - Ø800



VFL

Dim. Ø80 - Ø400



VFC

Dim. Ø80 - Ø250



RN

Dim. Ø100 - Ø400



TSK-4

Dim. 400x200 -
2000x2000



EN

Dim. 200x100 - 600x600



THS - Circular

Dim. Ø100 - Ø630




THS - Rectangular

Dim. 400x200 -
2000x2000



TVJ/TVT

Dim. 200x100 - 1000x1000



Leo

Dim. Ø100 - Ø630



Leo-D

Dim. Ø100 - Ø630



LVC

Dim. Ø125 - Ø250




SRC


Single Room Control




▶ Sound attenuators ▶▶




LEV
Dim. Ø100 - Ø630




LKR
Dim. Ø80 - Ø1250




LKR-V
Dim. Ø80 - Ø1250



LKL
Dim. 400x150 -
1000x400





LKK
Produced on measurement



LKK-V
Produced on measurement

▶ Joint systems and doors ▶▶



KSA / SSA
Joint system



ILP / ILS
Dim. Ø100-Ø1250




BS
Up to 2000 Pa



ST
Up to 1000 Pa


▶ Chilled beams ▶▶




Svalbard-F
Length: 1200-3000 mm




Svalbard-H
Length: 1200-3000 mm




Svalbard-I
Length: 1200-3000 mm



Svalbard-I Comfort (VAV)
Length: 1200-2400 mm



Hydra (passive CB)
Length: 1800 og 2400 mm



DID-614
Length: 600 og 1200 mm



DID-E2
Length: 1000, 1125 og 1250 mm

► Control systems ►►



X-AIRCONTROL
Room control



X-Sense (sensor)



**CO₂ Temp-controller
w/display**



CO₂ Temp-controller



CR24 Temp-controller




Motion detector



TX-VCH
Pressure controller

► Cleanroom ►►



TFC
Dim. Ø160 - Ø315



TFM
Dim. 600x600, 600x900
and 900x1200



TFW



TFP





KSF



AURASIM

With AURASIM, the airflow can be simulated in 3D space. Speed and temperature in the occupied zone are documented, noise from the unit is also reported. In AURASIM, ceiling diffusers and wall diffusers can be calculated. For chilled beams the program calculates cooling capacity, water volume and pressure drop. The program can be found at Aurasim.no





Easy Product Finder

The Easy Product Finder from TROX has become a vital tool in the building services engineering industry. The intuitive user concept is user-friendly. Users are given the ability to freely design and configure individual work areas. Keyboard entries and shortcuts allow users to work faster. For more information click here: [Easy Product Finder](#)

X-BIM

X-BIM is a joint development of TROX and liNear in order to make designing easier for you. It is a quick and safe way to get data records for TROX components and for TROX air handling units and use them for your Revit and AutoCAD applications. For more information click here: [X-BIM](#)



MagiCloud

All TROX Auranor products are available in MagiCloud. Each product is complete with precise dimensions and comprehensive technical data.

MagiCloud is an online BIM library where you will find a structured catalog of ventilation products with download options in various CAD formats.

For more information: www.magicloud.com



A series of horizontal dashed lines for writing, with a large light blue 'X' watermark in the center.

Headquarters / Factory

Auranorvegen 6
NO-2770 Jaren
Tlf: +47 61 31 35 00
www.trox.no

Sales Office Oslo

Gneisveien 8
NO-2020 Skedsmokorset

Sales Office Stavanger

Fabrikkveien 14
NO-4033 Stavanger

Sales Office Bergen

Damsgårdsveien 169
NO-5160 Laksevåg

Sales Office Trondheim

Sorgenfriveien 9
NO-7031 Trondheim

Sales Office Larvik

Borgejordet 80
NO-3269 Larvik



TROX[®] TECHNIK
 **Auranor**